Copyright

Fujitsu Limited has made every effort to ensure the accuracy and completeness of this document. However, as ongoing development efforts are continually improving the capabilities of our products, we cannot guarantee the accuracy of the contents of this document. We disclaim liability for errors, omissions or future changes.

LifeBook is a trademark of Fujitsu Limited.

Microsoft, Windows, MS, MS-DOS, Windows NT and Windows Vista are registered trademarks of the Microsoft Corporation of the United States in the United States and other countries.

Phoenix is a registered trademark of Phoenix Technologies Corporation of the United States.

Copyright© 1981-1999 Microsoft Corporation, All rights reserved.

Copyright© 1999 Phoenix Technologies, Ltd., All rights reserved.

Other product names are trademarks or registered trademarks of their respective companies.

© Copyright 2007 Fujitsu Limited. All rights reserved. No part of this publication may be copied, reproduced or translated, without the prior written consent of Fujitsu Limited. No part of this publication may be stored or transmitted in any electronic form without the written consent of Fujitsu Limited.

Operations are subject to the following two conditions:

(1) This device may not be allowed to cause harmful interference.

(2) This device must accept any interference received, including interference that may cause undesired operation.

Website: www.pc-ap.fujitsu.com

DECLARATION OF CONFORMITY
according to FCC Part 15

AUSTRALIAN WARNINGS
WARNING

FOR SAFETY REASONS, ONLY CONNECT EQUIPMENT WITH A TELECOMMUNICATIONS COMPLIANCE LABEL. THIS INCLUDES CUSTOMER EQUIPMENT PREVIOUSLY LABELLED PERMITTED OR CERTIFIED.

Connection of Non Certified/Approved peripherals may result in the equipment operating outside the Australian EMI Standards.

Modems connected to the Australian telecommunications network must be operated in accordance with the Labelling Notice. This modem has been specifically configured to ensure compliance with the ACA Standards. Do not adjust your modem or software outside the values indicated below. To do so would result in your modem being operated in a non-compliant manner.

Call Attempts/Retries:

Applications software shall be configured so that no more than 3 attempts are made to establish a connection to a given number (Note: if the modem can detect service tones, up to 10 attempts can be made). If the call sequence is unsuccessful, there shall be a delay of at least 30 minutes before attempting to call the number again.

Failure to set the modem and any application software used with the modem, to the values shown above will result in the modem being operated in a non-compliant manner. Consequently, this would be in violation of the Labelling Notice for this equipment and the Telecommunications Act 1997 prescribes penalties for the connection of non-compliant equipment.

Intro_Vista supplement_EN 2 4/1/07, 10:55 am

NEW ZEALAND WARNINGS

The grant of a Telepermit for any item of terminal equipment indicates only that Telecom has accepted that the item complies with minimum conditions for connection to its network. It indicates no endorsement of the product by Telecom, nor does it provide any sort of warranty. Above all, it provides no assurance that any item will work correctly in all respects with another item of Telepermitted equipment of a different make or model, nor does it imply that any product is compatible with all of Telecom's network services.

This equipment is not capable under all operating conditions of correct operation at the higher speeds for which it is designed. 56 KBPS connections are likely to be restricted to lower bit rates when connected to some PSTN implementations. Telecom will accept no responsibility should difficulties arise in such circumstances.

Immediately disconnect this equipment should it become physically damaged, and arrange for its disposal or repair.

This equipment shall not be used in any manner, which could constitute a nuisance to other Telecom customers.

This equipment shall not be set to make automatic calls to the Telecom "111" Emergency Service.

This device is equipped with pulse dialing while the New Zealand standard is DTMF tone dialing. There is no guarantee that Telecom lines will always continue to support pulse dialing. It is strongly recommended that pulse dialing is not used.

Some parameters required for compliance with Telecom's Telepermit requirements are dependent on the equipment (PC) associated with this device. The associated equipment shall be set to operate within the following limits for compliance with Telecom's Specifications:

For repeat calls to the same number.

There shall be no more than 10 call attempts to the same number within any 30 minute period for any single manual call initiation and the equipment shall go on-hook for a period of not less than 30 seconds between the end of one attempt and the beginning of the next attempt.

For Automatic calls to different numbers.

The equipment shall go on-hook for a period of not less than 5 seconds between the end of one attempt and the beginning of the next attempt.

For Automatically answered Incoming Calls.

Incoming calls shall be answered between 3 and 30 seconds from the start of the ringing.

For correct operation, the total of the RNs of all devices connected to a single line at anytime should not exceed 5. The RN of this Equipment is 0.5.

WARNING:

CONNECTION OF NON CERTIFIED/ APPROVED PERIPHERALS MAY RESULT IN THE EQUIPMENT OPERATING OUTSIDE THE NEW ZEALAND EMI STANDARDS.

NOTE: Modem setting in Windows Vista

A. If you are located in Australia

1. Click Start select Control panel select "Phone and Modem Options".
2. Choose "Australia" in **What Country/ region are you in now?** pull down menu bar.
3. Select Phone system as "Tone Dialing".
4. Click OK.

Location Information
Before you can make any phone or modem connections, Windows needs the following information about your current location.
What country/region are you in now?
Australia
What area code (or city code) are you in now?
If you need to specify a carrier code, what is it?
If you dial a number to access an outside line, what is it?
The phone system at this location uses:
Tone dialing
Pulse dialing
OK
Cancel

B. If you are located in New Zealand

1. Click start select Control panel select "Phone and Modem Options".
2. Choose "New Zealand in **What Country/ region are you in now?** pull down menu bar.
3. Select Phone system as "Tone Dialing".
4. Click OK.

Location Information
Before you can make any phone or modem connections, Windows needs the following information about your current location.
What country/region are you in now?
New Zealand
What area code (or city code) are you in now?
If you need to specify a carrier code, what is it?
If you dial a number to access an outside line, what is it?
The phone system at this location uses:
Tone dialing
Pulse dialing
OK
Cancel

NOTE:

The screens and illustrations shown in this examples may slightly vary depending on the operating environment that you have installed.

Intro_Vista supplement_EN 4 4/1/07, 10:55 am

Table of Contents

USING FINGERPRINT AUTHENTICATION 1

Characteristics of fingerprint authentication 1
OmniPass Enrollment Wizard 2
OmniPass Password Replacement function 3
Password Management 7
File and Folder Encryption 8
Backup and Restore OmniPass User Profiles 9
OmniPass Control Center Overview 11
Version Information 14
Scroling 14

SHOCK SENSOR UTILITY 15

NOTE:

A copy of LifeBook User's Manual is located in your Microsoft Window OS or you can find it in Fujitsu's website at http://www.pc-ap.fujitsu.com/. You can use this LifeBook User's Manual to find out more information about the functions and features of your notebook.

USING FINGERPRINT AUTHENTICATION*

With fingerprint authentication, you can omit entering a user name and a password by just sliding your finger onto the fingerprint sensor at the time of logging in homepages or logging on Windows. This chapter describes how to use fingerprint authentication.

*** NOTE:**

This is only applicable for LifeBook with Fingerprint Sensor.

To use fingerprint authentication, the user's fingerprints must be registered.

Characteristics of fingerprint authentication

■ Fingerprint authentication can be used in the following case.

- **Logging on to Windows**

  When the user account of Windows is password-protected, only persons who know that password can log on to Windows using that account. However, you have to enter the password each time when you log on to Windows.
  With use of fingerprint authentication, you can log on to Windows by only authenticating fingerprints that have previously been registered, thus omitting entering a password.

- **Recovery from the power-saving status**

  If the computer is password-protected for the recovery from power-saving status, you have to enter a password each time when your computer is recovered from the power-saving status.
  With use of fingerprint authentication, you can recover from the power-saving status by authenticating fingerprints that have previously been registered, thus omitting entering a password.

- **Canceling password-protected screen saver**

  You can lock your computer if the screen saver is password-protected. However, you have to cancel this lock when canceling the screen saver.
  With use of fingerprint authentication, just authenticating fingerprints that have previously been registered enables this lock to be canceled, thus omitting entering a password.

- **Logging into the homepage that requires an ID (user name) and a password**

  To log into the homepage of which security is set up, you may have to enter log-in information such as an ID (user name) and a password.
  With fingerprint authentication, you can log into these homepages by just authenticating fingerprints if log-in information is previously memorized for specific homepages.
  Status for entering log-in information differs depending on homepages; direct entering log-in information into homepages, and indication of screens specific to entering. In either case, log-in using fingerprint authentication can be performed.

P01-14_Vista supplement_EN 1 4/1/07, 10:55 am

OmniPass Enrollment Wizard


OmniPass Enrollment Wizard
SOFTEX INCORPORATED
OmniPass
OmniPass provides password management capabilities to Microsoft Windows-based operating systems. OmniPass allows a user to use one "master password" for all Windows, application and on-line passwords. A "master password" is an OmniPass password that will be used to enter any password-protected site or program once you have registered those sites with OmniPass. The 'Enroll' button brings you to the next screen where you can begin to create your user account.
Show this screen at Startup
Help
Start

Figure 1: OmniPass Enrollment Wizard - Welcome

The OmniPass Enrollment Wizard guides the user through the process of enrolling an OmniPass user. If you do not see the screen at Startup, you can invoke the wizard by clicking on the Windows taskbar; select **All Programs**; select **Softex** and click on the **OmniPass Enrollment Wizard** (see Figure 1).

To continue, click **Start**. Input the User Name and Password (see Figure 2). The Domain field is the local computer name with the “Local Machine” appended to it. However, for domain user, they should select the appropriate domain name they belong to. Please check with your administrator. Click **Next** to proceed.

Verify Username and Password
Please enter the Windows account information that you wish to use for your OmniPass account. Once confirmed OmniPass will use the same account credentials for secure OmniPass functions like managing passwords, encrypting files, etc.
User Name:
Fujitsu
Domain:
OFFICE (Local Machine)
Password:
Restore user from a backed up user profile.
Help
Next

Figure 2: OmniPass Enrollment Wizard – User Name & Password



Figure 3: OmniPass Enrollment Wizard – Enrolling with OmniPass

Next, you are to select the finger that you wish to enroll in OmniPass (see Figure 3). Notice that the red arrow indicates the finger that you are currently enrolling in and the green check indicates the finger you have already enrolled with OmniPass. In the case of you choosing a finger with green check (already enrolled), OmniPass software allow you to enroll. However, it will overwrite the old fingerprint. Once you have selected the finger to enroll, click **Next**.

You can click on the **Practice** button to practice on the fingerprint enrolling especially for first time users.



Figure 4: OmniPass Enrollment Wizard – Capturing Fingerprint

OmniPass will now capture the fingerprint of the finger selected for OmniPass enrollment. It will takes up to three fingerprint captures for the enrollment (see Figure 4).



Figure 5: OmniPass Enrollment Wizard – Fingerprint Verification

After OmniPass has successfully capturing your fingerprint, you will need to verify the enrolled fingerprint (see Figure 5). You will need to repeat the action as you have done in the capturing fingerprint section done as shown in Figure 4.

As seen in Figure 5, upon successful verification, the window will show a green capture in the window and the text **Verification Successful** beneath the window. Click **Next** to proceed.

OmniPass recommends that you enroll at least two fingers (see Figure 6) and if you choose to enroll the second finger, please repeat the process as shown in Figure 3, Figure 4 and Figure 5.

OmniPass Enrollment Wizard
It is recommended that you enroll at least two fingers. Would you like to enroll an additional finger now?
Yes
No

Figure 6: OmniPass Enrollment Wizard – OmniPass recommends at least two fingers


User Preferences
You can configure different user preference options that you want OmniPass to use when you are working on your computer.
Audio Prompts
Prompt with full audio prompts
Prompt with system beeps only
No audio prompts
Taskbar Tips
Beginner mode taskbar tips
Advanced mode taskbar tips
No taskbar tips
Authentication Window Settings
Display a solid authentication window
Display a partially transparent authentication window
Help
Next

Figure 7: OmniPass Enrollment Wizard – Audio, Taskbar, Authentication Window Setting

In this section (see Figure 7), you can customize the OmniPass with your preferred audio prompt, taskbar tips as well as Authentication Window setting.


Backup User Profile
OmniPass requires you to backup the profile of the newly created user. If you ever have to re-install OmniPass on your computer or if you replace your computer, will need to restore your user profile from the backup you will now create, otherwise, you will not be able to access your password protected applications and websites and you will not be able to decrypt files previously encrypted with OmniPass.
WARNING: Once you create the backup, we STRONGLY recommend that you save the backup file and the password used to create the backup file in a safe and secure location (e.g. a protected area of a USB memory key or secure network shared drive). The backup profile may be needed in the future so that you can decrypt previously encrypted files.
Help
Backup Now

Figure 8: OmniPass Enrollment Wizard – Backup User Profile

To proceed, click **Next**. In this section of user enrollment, you are required to back up the newly created user profile (see Figure 8). The backup profile can be restored in the event you re-install OmniPass or replace your computer, otherwise you will not be able to access your password protected applications and websites. Besides that, you will not be able to decrypt the files previously encrypted with OmniPass. To proceed, click **Backup Now**.



Figure 9: OmniPass Enrollment Wizard – Backup User Profile

You will be prompted to save the backup of the profile in your preferred location (see Figure 9) and a password for the backup file (see Figure 10). This password will be required when you are restoring this profile in the future.

Backup File Password
Please provide a password that will be used to protect the user's profile backup file.
NOTE: Save the profile backup file and this password in a safe place. You will not be able to restore the profile later unless this password is provided.
Password:
****
OK

Figure 10: OmniPass Enrollment Wizard – Backup File Password


Congratulations
OmniPass has successfully created your new user account. You can now use OmniPass to manage your passwords, encrypt files, secure your computer desktop and perform other secure operations. Please refer to the online help or your user's manual for more detailed information on all of the features of OmniPass.
Help
Done

Figure 11: OmniPass Enrollment Wizard – Congratulations

OmniPass has successfully created the new user account and now you are ready to use OmniPass to manage passwords, encrypted files etc.

OmniPass Password Replacement function

In this section of the OmniPass Password Replacement function, you will learn how you can teach OmniPass of your login credentials. You can authenticate with OmniPass the next time you gain access to the website where you have taught OmniPass with the set of login credentials. The description in the following section does not indicate exhaustive password replacement function that you can do.

Note: The password replacement functionality is not limited to restricted access websites only.

■ Register log-in information on homepages

To log into homepages of which security is set up, you may have to enter log-in information such as an ID (user name) and a password. With fingerprint authentication, you can log in these homepages by only sliding your finger onto the fingerprint sensor if log-in information is previously memorized for specific homepages. Register log-in information according to the following procedure.

Register log-in information on homepages

1. **Display a homepage you want log-in information to be registered.**
2. **Enter log-in information.**
   - When a screen specific for entering log-in information is indicated, do not press the “Sign-in” or “OK” button, etc.

3. **Right-click on the OmniPass icon from the notification area in the lower right hand corner of the screen and selects “Remember Password.”**
   - The mouse pointer will change into

4. **With the mouse pointer changed to , click on the area of log-in information entered in Step 2.**

5. **Next, you will be prompted to enter a Friendly Name for the website.**
   - It is recommended that you input a name that will reminds you which website you are logging on.
   - You can have different sets of login credentials associated with the same password-protected resource. However, please provide different friendly name to it. If you provide the same friendly name, OmniPass will overwrite the previous set of credentials associated with the password-protected resource.
   - OmniPass will be using the friendly name to choose one from the many credentials remembered for the same site.

OmniPass - Friendly Name
Enter a "Friendly Name" to identify the password box that you just asked OmniPass to remember. For example, a "Friendly Name" would be something like "Personal Credit Card Password". This "Friendly Name" will be used to identify the password box in the event OmniPass can not fill in the password automatically.
Friendly Name:
Yahoo! Mail - The best web-based email! - Windows Internet E
Settings for this Password Site
Automatically enter this password protected site when it is activated. Do not prompt for authentication.
Automatically click the "OK" or "Submit" button for this password protected site once the user is authenticated.
Finish
Cancel

   - **Automatically click the "OK" or "Submit" button for this password protected site once the user is authenticated**. When selected, you will be prompted to authenticate with OmniPass each time for an access to the password-protected website. Upon successful authentication, you will be logged on automatically.
   - **Automatically enter this password protected site when it is activated. Do not prompt for authentication** is a less secure option. If checked, OmniPass will allow you to log onto the password-protected website without prompting for authentication.
     WARNING: Should you leave your computer unattended, unlocked, with your OmniPass user logged in, anyone using your computer can browse to your password protected sites and gain automatic access.
   - Click **Finish** to complete the remember password procedure. The site location, credentials to access the site, and the OmniPass authentication settings for the site are now stored in OmniPass' secure database.
   - The OmniPass authentication settings (Settings for this Password Site) can always be changed in **Manage Vault** via **Manage Your Passwords** in **OmniPass Control Center**.

Password Management

You can manage your passwords through an interface in OmniPass. Double-click the OmniPass key in the system tray and click on **Manage Your Passwords**.

You will be prompted to authenticate with OmniPass before gaining access to the **Manage Vault**.



Under the **Password Protected Dialog**, you can choose the website remembered by OmniPass and manage the credentials by clicking **Unmask Values. Delete Page** is used to delete the credentials associated with the website but ceased to exist or expired. The two checkboxes determines whether you gain access with OmniPass authentication or logs you on directly upon entering the remembered site without any authentication.

File and Folder Encryption

Besides managing passwords for the password-protected resources, OmniPass enables you to encrypt and decrypt files and folders in your system. Encryption is converting your data to a form in which unauthorized user cannot read. Once a file is encrypted, it needs to be decrypted so that the file can be read or accessed.

To encrypt a file or folder, right-click on it and selects **OmniPass Encrypt File(s)**. You will be prompted to authenticate with OmniPass for the encryption.

If you choose to encrypt a folder, the folder and all the files in this folder will be encrypted. Contents in **C:\Windows** and **C:\Program Files** and the folder where OmniPass is installed cannot be encrypted.



Encrypted file will have the extension ".opf" whereas the encrypted folder will have the extension ".opef".



To decrypt a file or folder, right-click and select **OmniPass Decrypt File(s)**. You will need to authenticate to OmniPass for the decryption process.

P01-14_Vista supplement_EN 8 4/1/07, 10:55 am

As mentioned earlier, when encrypting a folder, the folder and all the files in this folder will be encrypted. Files that are copied into this encrypted folder will also be encrypted. The files in this folder can be read and modified and they will be encrypted automatically once saved and closed as long as they remain in that folder. In order to decrypt a file in the encrypted folder, you can right-click on the file and select **Decrypt To…**.



You need to select a target location for the file to be decrypted. However, the original encrypted file will still remain in the encrypted folder.





Sample icon for encrypted file versus icon for non-encrypted file is shown above.

Backup and Restore OmniPass User Profiles

■ Backup OmniPass User Profile

Select **Backup a user's OmniPass profile** to back up the OmniPass user profile thru the OmniPass Enrollment Wizard.


Enrollment Wizard Menu
Please select the function you wish to perform using the enrollment wizard. Please note that for most functions, the enrollment wizard will automatically end if the task is performed successfully.
Add a new user to OmniPass
Remove a user from OmniPass
Backup a user's OmniPass profile
Restore a user's OmniPass profile
Modify a user's device enrollment
Help
Done

You will need to authenticate to backup your profile and to save the profile (".opi") in the desired location upon successful authentication.



The user profile contains all your user specific OmniPass data. It is encrypted and password protected. However, this profile does not contain any of the encrypted data files. You can associate a password with the backup profile.

Backup File Password
Please provide a password that will be used to protect the user's profile backup file.
NOTE: Save the profile backup file and this password in a safe place. You will not be able to restore the profile later unless this password is provided.
Password:
OK

■ Restore OmniPass User Profile

To restore a user profile, select the **Restore a user's OmniPass profile** and select the profile to be restored.


Enrollment Wizard Menu
Please select the function you wish to perform using the enrollment wizard. Please note that for most functions, the enrollment wizard will automatically end if the task is performed successfully.
Add a new user to OmniPass
Remove a user from OmniPass
Backup a user's OmniPass profile
Restore a user's OmniPass profile
Modify a user's device enrollment
Help
Done

You may be prompted for a password for the backup profile if it is password-protected.

Backup File Password
Please provide the password that was used to protect the user's backup profile. You need this password to unlock the backup profile so that the user information can be restored.
Password:
OK

When selecting the .opi file in a restore, OmniPass will prompt you for authentication. The credentials that will allow a user profile to be imported are the Windows login credentials of the exported user. They are the credentials that had to be submitted when the user profile was exported. You will need **User Name**, **Password**, and **Domain**.

OmniPass Control Center Overview

The OmniPass Control Center can be accessed by the following:-

- Clicking on the Windows taskbar; select **All Programs**; select **Softex**; click **OmniPass Control Center**
- Double-click on the Softex OmniPass in the Control Panel
- Right-click on the OmniPass icon from the notification area in the right corner of the screen and click **open**.

There are five main portions in the OmniPass Control Center namely:-

- Manage Your Passwords
- Protect Your Files
- Change Your User Settings
- Change Your System Settings
- Run Enrollment Wizard

■ Manage Your Passwords

Please refer to **Password Management** section for the **Manage Your Passwords** portion of the Control Center.

■ Protect Your Files

In this portion of the OmniPass Control Center, **Protect Your Files** provides a Windows Explorer feel of the files and folders that you can encrypt and decrypt. However, files that are in use cannot be encrypted. This also includes system files and the folder OmniPass is installed. You will be prompted to authenticate with OmniPass for an encrypt/ decrypt process.

Please refer to **File and Folder Encryption** section for more info.



■ Change Your User Settings

With this selection, you can adjust your preferences such as: Audio setting, Taskbar tips, Authentication Window setting and File Encryption setting.



You can set how OmniPass can notify a user in the event of a successful login or denied access through the **Change user audio settings** and the **Change taskbar tips shown to the user** interfaces.

You also can set the appearance of the OmniPass Authentication window through the **Change authentication window settings**, whether you prefer a transparent or solid window.

■ Change Your System Settings

OmniPass system settings refer to the setting of your OmniPass software and the setting will apply to all the users who logs on to the system.



Through the **Modify OmniPass startup options**, you can determine whether a user is set to automatically logged on to OmniPass at startup, manually log on to OmniPass at startup or do not log on to OmniPass at startup.

The second selection: **Modify Windows Fast User Switching Option** allows Windows users to switch between their Windows desktops using OmniPass. This feature should only be enabled if your system is not protected by Ctl+Alt+Del at logon.

P01-14_Vista supplement_EN 12 4/1/07, 10:55 am

■ Run Enrollment Wizard


Enrollment Wizard Menu
Please select the function you wish to perform using the enrollment wizard. Please note that for most functions, the enrollment wizard will automatically end if the task is performed successfully.
Add a new user to OmniPass
Remove a user from OmniPass
Backup a user's OmniPass profile
Restore a user's OmniPass profile
Modify a user's device enrollment
Help
Done

In this portion, you can add/remove user to/ from OmniPass, backup/restore a user's OmniPass profile as well as to modify a user's device enrollment.

You will need to authenticate with OmniPass whenever you wish to modify the user's device enrollment. For an example, you can enroll more fingers with OmniPass and it is not limited to just one or two fingers.



Note: The OmniPass guide indicated in this manual serves as a rough guide to the usage of the OmniPass software and the diagram may differ from the version installed in the user's system. Please refer to the user's manual in the OmniPass software for more information and details.

Version Information

Version information on fingerprint authentication utility is displayed in the left-hand-side pane of the window.

Version Details

Scrolling

The Fingerprint sensor now comes with a scrolling function. Taking advantage of the sensor's technology, users will be able to scroll up and down a document by swiping the finger upwards to scroll up and swiping down to scroll down.



SHOCK SENSOR UTILITY

General information

The Shock Sensor Utility is designed to decrease the risk of damage to the computer's hard disk drive (HDD) in the event of excessive impact or vibration. Additionally, the Shock Sensor Utility has the ability to improve the security of the computer by automatically locking the computer with a password when it is carried. Note that the HDD protection and computer locking features are mutually exclusive; both cannot be selected at the same time.

Setting up the Shock Sensor Utility

1. Double-click the Shock Sensor Utility icon ( ) in the Notification Area at the bottom-right of the screen. The [Shock Sensor Utility] window appears.

2. Click the [Setting] button ( ). The [Shock Sensor Utility Settings] window appears.


Shock Sensor Utility Settings
Shock Sensor Utility V1.0L10
Copyright(c) FUJITSU LIMITED 2006.
The Shock Sensor Utility is designed to decrease the risk of damage to the computer's hard disk drive (HDD) in the event of excessive impact or vibration.
Additionally, the Shock Sensor Utility can be used to improve the security of the computer by automatically locking the computer with a password when it is carried.
Note that the HDD protection and computer locking features are mutually exclusive; both cannot be selected at the same time.
Action :
Protect HDD from impact
Sensitivity of impact :
Min
Max
Sensitivity of horizontal move :
Min
Max
Sensitivity of fall :
Min
Max
Ignore periodic vibration
Ignore mouse click
Ignore keyboard action
Confirm calibration when user logs on.
Perform calibration automatically when user logs on.
Calibrate Now...
Help...
OK
Cancel

- **Action**
  Select the action you wish this utility to perform:
  - Protect HDD from impact
    HDD head is retracted when an impact to the computer is detected.
  - Lock computer when carried
    Lock the computer when it is being carried.
  - Nothing
    No action.

- **Sensitivity of impact/horizontal move/ fall/carry detection**
  Adjust the sensitivity of the acceleration sensor based on system motion or impact.

- **Ignore periodic vibration**
  If vibration is periodic, disregard it.

- **Ignore mouse click**
  When the mouse is clicked, sensitivity is temporarily lowered.

- **Ignore keyboard action**
  When the keyboard is used, sensitivity is temporarily lowered.

- **Confirm calibration when user logs on**
  Select [Confirm calibration when user logs on] if you want to recognize the current orientation as horizontal at logon.

- **Perform calibration automatically when user logs on**
  Select [Perform calibration automatically when user logs on] if the system is normally used on a horizontal surface.

- **Display a balloon tool tip when impact is detected**
  When this is selected, a message is displayed from the Shock Sensor Utility icon ( ) in the Notification Area when an impact is detected.

- **[Calibrate Now]**
  The calibration is executed. Please position the computer as horizontally as possible, then click the [Calibrate Now] button. The current horizontal position will be recognized as the true horizontal by performing the calibration.

3. Click the [OK] or [Cancel] button ( ). The [Setup] window closes.

Notes

Before using the Shock Sensor utility, please be aware of the following points.

- The Shock Sensor Utility does not completely protect the HDD of the computer.
- The Shock Sensor Utility does not provide the computer with absolute security.
- The computer may stop temporarily while HDD head is being retracted. To start the computer again, please keep it horizontal.
- The Shock Sensor Utility does not protect an external HDD; it only protects the HDD built into the computer.
- The Shock Sensor works only when a user is logged onto the computer. It does not work when the computer is shut down, when a user is not logged on, when in sleep mode, or while being shut down.
- The “Lock computer when carried” function is available only on certain models. This function can be selected from the menu of those models which support it.
- While the Shock Sensor Utility Settings window is displayed, the “Lock computer when carried” function does not work. Please close the window to use the function.

System Requirements

The Shock Sensor Utility runs under the following operating environment.

System	Requirements
OS	Microsoft® Windows Vista™ Ultimate Microsoft® Windows Vista™ Home Premium Microsoft® Windows Vista™ Home Basic Microsoft® Windows Vista™ Business Microsoft® Windows Vista™ Enterprise
Available hard disk space	3 MB or more

P15-16_ Vista supplement_EN 16 4/1/07, 10:56 am